



USA Retail Price List

April 2023



USA Retail Pricing - April 2023

EVO 100 TUBE PHONO PREAMPLIFIER



EVO 100

TUBE PHONOSTAGE

MAP
\$3695

ORDER CODE PE100PHNO-B
(SKU) PE100PHNO-S

INPUTS

1x Stereo RCA

OUTPUTS

1x Stereo RCA

5AR 4 Tube Rectified

EL34 Tube Stabilized Power Supply

Moving Magnet or Moving Coil

MM Gain Using 12AX7 Tubes

MC Gain Using 6922 Tubes

Point-to-Point Wiring w/ Premium Swiss Wire

Power Transformer Protection

Faceplate Black
Options Silver

Tubes 2x 5AR4, 2x EL34, 4x 12AX7, 2x 6922

Dimensions 11x7.5x15.9
(W x H x D) inches

Weight 27.9 lbs.

Warranty 3 Years
w/ registration



EVO 100 RANGE



EVO 100

TUBE INTEGRATED AMPLIFIER

EVO 100

TUBE PREAMPLIFIER

EVO 100

TUBE POWER AMPLIFIER

EVO 100

TUBE DAC

RETAIL
\$2795

ORDER CODE (SKU)
PE100INT-B
PE100INT-S

INPUTS
4x Stereo RCA

OUTPUTS
4&8Ω Speaker, Stereo RCA Tape Out, 1/4" Headphone

POWER
40 wpc

Slim Remote Control

Adaptive AutoBias

Point to Point Wiring

Bad Tube Indicator

ALPS Blue Velvet Potentiometer

Wide-Bandwidth Output Transformers

Potted Toroidal Power Transformer

Optional MM Phonostage

RETAIL
\$2795

ORDER CODE (SKU)
PE100PRE-B
PE100PRE-S

INPUTS
4x Stereo RCA

OUTPUTS
2x Stereo RCA, Stereo RCA Tape Out

Slim Remote Control

Dual Mono Design

Tube Rectified

Point to Point Wiring

ALPS Blue Velvet Potentiometer

Dual Potted Toroidal Power Transformers

Optional MM Phonostage

Gain: 10.8 dB

Output Impedance: 2800 Ω

Faceplate Options
Black
Silver

Tubes
2x 12AX7
2x 12AU7
4x EL34

Dimensions (W x H x D)
11x7.5x15.9 inches

Weight
39.6 lbs.

Warranty
3 Years w/ registration

RETAIL
\$2795

ORDER CODE (SKU)
PE100PWR-B
PE100PWR-S

INPUTS
Stereo/Mono RCA

OUTPUTS
Stereo: 4,8,16Ω Speaker
Mono: 2,4,8Ω Speaker

POWER
Stereo: 40 wpc
Mono: 82 watts

Stereo/Mono Switchable

Adaptive AutoBias

Point to Point Wiring

Bad Tube Indicator

Wide-Bandwidth Output Transformers

Potted Toroidal Power Transformer

Input Impedance: 100 kΩ

Faceplate Options
Black
Silver

Tubes
2x 12AX7
2 x 12AU7
4x EL34

Dimensions (W x H x D)
11x7.5x15.9 inches

Weight
37.4 lbs.

Warranty
3 Years w/ registration

RETAIL
\$3395

ORDER CODE (SKU)
PE100DAC-B
PE100DAC-S

INPUTS
USB, AES/EBU, COAX, OPT

OUTPUTS
Stereo RCA

TI (Burr Brown) PCM1792A

PCM 16bit-24bit / 44.1kHz-192 kHz

USB: DSD64-DSD128 (DoP)

AES/EBU, COAX, OPT: DSD64 (DoP)

Upsampling to 24bit/192kHz

Tube Rectified

SuperTube Clock

Dual Potted Toroidal Power Transformers

Dual Mono Design

AC Offset Killer

Faceplate Options
Black
Silver

Tubes
2x 12AX7
2x 12AU7
2x 5AR4

Dimensions (W x H x D)
11x7.5x15.9 inches

Weight
28.7 lbs.

Warranty
3 Years w/ registration

EVO 200 RANGE



EVO 200

TUBE INTEGRATED AMPLIFIER

EVO 200

TUBE PREAMPLIFIER

EVO 200

TUBE POWERAMPLIFIER

RETAIL
\$3395

ORDER CODE PE200INT-B
(SKU) PE200INT-S

INPUTS

4x Stereo RCA, Stereo RCA HT Bypass

OUTPUTS

4&8Ω Speaker, Stereo RCA Tape Out, ¼" Headphone

POWER

44 wpc

Slim Remote Control

Adaptive AutoBias

Point to Point Wiring

Bad Tube Indicator

ALPS Blue Velvet Potentiometer

Wide-Bandwidth Output Transformers

Potted Toroidal Power Transformer

Home Theater Bypass

Optional MM Phonostage

RETAIL
\$3395

ORDER CODE PE200PRE-B
(SKU) PE200PRE-S

INPUTS

4x Stereo RCA, Stereo RCA HT Bypass

OUTPUTS

2x Stereo RCA, Stereo RCA Tape Out

Slim Remote Control

Dual Mono Design

Tube Rectified

Point to Point Wiring

ALPS Blue Velvet Potentiometer

Dual Potted Toroidal Power Transformers

Home Theater Bypass

Gain: 10 dB

Output Impedance: 2800 Ω

Optional MM Phonostage

RETAIL
\$3395

ORDER CODE PE200PWR-B
(SKU) PE200PWR-S

INPUTS

Stereo/Mono RCA

OUTPUTS

Stereo: 4,8,16Ω Speaker

Mono: 2,4,8Ω Speaker

POWER

Stereo: 44 wpc

Mono: 88 watts

Stereo/Mono Switchable

Adaptive AutoBias

Point to Point Wiring

Bad Tube Indicator

Wide-Bandwidth Output Transformers

Potted Toroidal Power Transformer

Input Impedance: 100 kΩ

Faceplate Options	Black Silver
Tubes	4x 12AU7 4x EL34
Dimensions (W x H x D)	14.4x8.1x15.9 inches
Weight	52.8 lbs.
Warranty	3 Years w/ registration

Faceplate Options	Black Silver
Tubes	4x 12AU7 2x 5AR4
Dimensions (W x H x D)	14.4x8.1x15.9 inches
Weight	39.6 lbs.
Warranty	3 Years w/ registration

Faceplate Options	Black Silver
Tubes	4x 12AU7 4x EL34
Dimensions (W x H x D)	14.4x8.1x15.9 inches
Weight	50.6 lbs.
Warranty	3 Years w/ registration

EVO 300 RANGE



EVO 300

TUBE INTEGRATED AMPLIFIER

EVO 300

TUBE PREAMPLIFIER

EVO 300

TUBE POWERAMPLIFIER

RETAIL
\$4695

ORDER CODE (SKU) **PE300INT-B**
 PE300INT-S

INPUTS
5x Stereo RCA, Stereo RCA HT Bypass

OUTPUTS
4&8Ω Speaker, Stereo RCA Tape Out, Stereo/Mono Subwoofer, ¼" Headphone

POWER
42 wpc

Full Remote Control

Triode or Ultralinear Operation

AC Offset Killer

Adaptive AutoBias

Point to Point Wiring w/ Premium Swiss Wire

Takman Resistors, ALPS Blue Velvet Potentiometer

Bad Tube Indicator

Wide-Bandwidth Output Transformers

Potted Toroidal Power Transformer

Home Theater Bypass

Optional MM Phonostage

RETAIL
\$4395

ORDER CODE (SKU) **PE300PRE-B**
 PE300PRE-S

INPUTS
5x Stereo RCA, Stereo RCA HT Bypass

OUTPUTS
2x Stereo RCA, Stereo RCA Tape Out

Full Remote Control

Dual Mono Design

Tube Rectified

AC Offset Killer

Point to Point Wiring w/ Premium Swiss Wire

Takman Resistors, ALPS Blue Velvet Potentiometer

Dual Potted Toroidal Power Transformers

Home Theater Bypass

Gain: 9.7 dB

Output Impedance: 256 Ω

Optional MM Phonostage

RETAIL
\$4395

ORDER CODE (SKU) **PE300PWR-B**
 PE300PWR-S

INPUTS
Stereo/Mono RCA, Stereo/Mono XLR

OUTPUTS
Stereo: 4,8,16Ω Speaker
Mono: 2,4,8Ω Speaker

POWER
Stereo: 44 wpc
Mono: 85 watts

Triode/UL Remote

Triode or Ultralinear Operation

Stereo/Mono Switchable

Adaptive AutoBias

Point to Point Wiring w/ Premium Swiss Wire

Takman Resistors

Bad Tube Indicator

Wide-Bandwidth Output Transformers

Potted Toroidal Power Transformer

Input Impedance: 100 kΩ

Faceplate Options	Black Silver
Tubes	6x 12AU7 4x EL34
Dimensions (W x H x D)	15.2x8.1x15.9 inches
Weight	68.2 lbs.
Warranty	3 Years w/ registration

Faceplate Options	Black Silver
Tubes	6x 12AU7 2x 5AR4
Dimensions (W x H x D)	15.2x8.1x15.9 inches
Weight	52.8 lbs.
Warranty	3 Years w/ registration

Faceplate Options	Black Silver
Tubes	6x 12AU7 4x EL34
Dimensions (W x H x D)	15.2x8.1x15.9 inches
Weight	66 lbs.
Warranty	3 Years w/ registration

EVO 400 RANGE



EVO 400

TUBE INTEGRATED AMPLIFIER

RETAIL
\$5595

ORDER CODE (SKU) **PE400INT-B**
 PE400INT-S

INPUTS
5x Stereo RCA, Stereo RCA HT Bypass

OUTPUTS
4&8Ω Speaker, Stereo RCA Tape Out, Stereo/Mono Subwoofer, 1/4" Headphone

POWER
70 wpc

Full Remote Control

Triode or Ultralinear Operation

AC Offset Killer

Adaptive AutoBias

Point to Point Wiring w/ Premium Swiss Wire

Takman Resistors, ALPS Blue Velvet Potentiometer

Bad Tube Indicator

Wide-Bandwidth Output Transformers

Potted Toroidal Power Transformer

Home Theater Bypass

Optional MM Phonostage

Faceplate Options	Black Silver
Tubes	6x 12AU7 8x EL34
Dimensions (W x H x D)	15.2x8.1x15.9 inches
Weight	68.2 lbs.
Warranty	3 Years w/ registration

EVO 400

TUBE PREAMPLIFIER

RETAIL
\$5295

ORDER CODE (SKU) **PE400PRE-B**
 PE400PRE-S

INPUTS
3x Stereo RCA, 2x Stereo XLR, Stereo RCA HT Bypass

OUTPUTS
Stereo RCA, Stereo XLR, Stereo RCA Tape Out

Full Remote Control

Dual Mono Design

Tube Rectified

AC Offset Killer

Point to Point Wiring w/ Premium Swiss Wire

Takman Resistors, ALPS Blue Velvet Potentiometer

Dual Potted Toroidal Power Transformers

Home Theater Bypass

Gain: 9.7 dB

Output Impedance: 256 Ω

Optional MM Phonostage

Faceplate Options	Black Silver
Tubes	6x 12AU7 2x 5AR4
Dimensions (W x H x D)	15.2x8.1x15.9 inches
Weight	52.8 lbs.
Warranty	3 Years w/ registration

EVO 400

TUBE POWERAMPLIFIER

RETAIL
\$5295

ORDER CODE (SKU) **PE400PWR-B**
 PE400PWR-S

INPUTS
Stereo/Mono RCA, Stereo/Mono XLR

OUTPUTS
Stereo: 4,8,16Ω Speaker
Mono: 2,4,8Ω Speaker

POWER
Stereo: 70 wpc
Mono: 140 watts

Triode/UL Remote

Triode or Ultralinear Operation

Stereo/Mono Switchable

Adaptive AutoBias

Point to Point Wiring w/ Premium Swiss Wire

Takman Resistors

Bad Tube Indicator

Wide-Bandwidth Output Transformers

Potted Toroidal Power Transformer

Input Impedance: 100 kΩ

Faceplate Options	Black Silver
Tubes	6x 12AU7 8x EL34
Dimensions (W x H x D)	15.2x8.1x15.9 inches
Weight	68.2 lbs.
Warranty	3 Years w/ registration

EVO 300 HYBRID INTEGRATED AMPLIFIER



EVO 300

TUBE HYBRID INTEGRATED AMPLIFIER

MAP
\$7295

ORDER CODE **PE300HINT-B**
(SKU) **PE300HINT-S**

INPUTS

5x Stereo RCA, Stereo RCA HT Bypass

OUTPUTS

4&8Ω Speaker, Stereo RCA Tape Out, Stereo/Mono Subwoofer, ¼" Headphone

POWER

150 Watts per Channel

Floyd Design Specifically-Manufactured MOSFET Solid-State Power Amplifier

Full Remote Control

Point to Point Wiring w/ Premium Swiss Wire

AC Offset Killer

Takman Resistors, ALPS Blue Velvet Potentiometer

Dual Mono Preamp with Separate PSUs

Dedicated 500 VA Output-Stage Transformer

Home Theater Bypass

Optional Belly-Mounted Moving Magnet Phonostage

Faceplate Black
Options Silver

Tubes 6x 12AU7

Dimensions 15.9x8.1x15.2
(W x H x D) inches

Weight 55.1 lbs.

Warranty 3 Years
 w/ registration

EVO MM PHONOSTAGE

OPTIONAL MM FOR EVO INTEGRATED & PREAMPLIFIERS

Frequency Response: 10Hz - 50kHz | Input Impedance: 50 kOhm
Gain: 42dB (127x) | RIAA accuracy: 20dB rel 5mV
Harmonic Distortion & Noise: -83dB

ORDER CODE	RETAIL
PEPHONO	\$249

EVO MM PHONOSTAGE IS MOUNTED ON BOTTOM PLATE BETWEEN FEET
INSTALLED FREE WHEN ORDERED AT TIME OF AMP PURCHASE
USER/DEALER INSTALLABLE - SOME SOLDERING REQUIRED

TUBES

PRIMALUNA BRAND REPLACEMENT TUBES

TUBE	ORDER CODE	RETAIL
EL34	PL-EL34	\$40
12AU7	PL-12AU7	\$40
12AX7	PL-12AX7	\$40
5AR4	PL-5AR4	\$40

REMOTES

REPLACEMENT PRIMALUNA REMOTES

MODEL	ORDER CODE	RETAIL
DiaLogue Prem. Int/Pre	DPRC	\$189
ProLogue Prem. Int/Pre	PPRC	\$149
DiaLogue Pwr	TURC	\$149
EVO 100/200 Int/Pre	EVO12RC	\$149
EVO 300/400 Int/Pre	EVO34RC	\$189
EVO 300/400 Pwr	EVOTURC	\$149